Appl. No. 10/696,005

Amdt. Dated August 18, 2005

Reply to Office July 5, 2005

This listing of claims will replace all prior versions, and listings, of claims in the application:

Listing of Claims:

1. (Currently Amended) A semiconductor package comprising:

an electrically insulating substrate layer;

a non-conductive layer disposed on the electrically insulating substrate layer; and,

a reflector layer disposed on the non-conductive layer,

wherein the electrically insulating substrate layer includes at least one first metallized

portion on a first surface thereof and at least one second metallized portion on a second surface

thereof, said second surface opposite said first surface, and

wherein the reflector layer is made of a material with a coefficient of thermal expansion

which is matched to a coefficient of thermal expansion of a material of the electrically insulating

substrate layer.

2. (Original) The semiconductor package of claim 1, wherein the reflector layer includes a

conical portion.

3. (Canceled).

4. (Canceled).

5. (Canceled).

2

Appl. No. 10/696,005 Amdt. Dated August 18, 2005

Reply to Office July 5, 2005

6. (Original) The semiconductor package of claim 1, wherein the non-conductive layer is made

of glass.

7. (Original) The semiconductor package of claim 6, wherein the glass has a coefficient of

thermal expansion which is matched to a coefficient of thermal expansion of the material of the

electrically insulating substrate layer.

8. (Original) The semiconductor package of claim 7, wherein the glass and the material of the

electrically insulating substrate layer both have a coefficient of thermal expansion which is

matched to a coefficient of thermal expansion of the material of the reflector layer.

9. (Canceled).

10. (Canceled).

11. (Canceled).

12. (Canceled).

13. (Canceled).

3

Appl. No. 10/696,005

Amdt. Dated August 18, 2005

Reply to Office July 5, 2005

14. (Currently Amended) A light emitting device comprising:

an electrically insulating substrate layer with at least one light emitting diode disposed

thereon;

a non-conductive layer disposed on the electrically insulating substrate layer; and,

a reflector layer disposed on the non-conductive layer,

wherein the electrically insulating substrate layer includes at least one first metallized

portion on a first surface thereof and at least one second metallized portion on a second surface

thereof, said second surface opposite said first surface, and

wherein the reflector layer is made of a material with a coefficient of thermal expansion

which is matched to a coefficient of thermal expansion of a material of the electrically insulating

substrate layer.

15. (Previously Amended) The light emitting device of claim 14, wherein one of the at least one

first and second metallized portions are coupled to the light emitting diode.

16. (Canceled).

17. (Canceled).

4